



RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

## Elenco Poster

| ID                            | N.pgm | Title   | Presenting Author            |
|-------------------------------|-------|---|------------------------------|
| <b>Antiretroviral therapy</b> |       |   |                              |
| 8                             | P 1   | Efficacy and safety of doravirine/lamivudine/tenofovir disoproxil fumarate in people living with HIV-1 aged over 60 years                                     | Leonardo Calza, Bologna      |
| 10                            | P 2   | Description of a cohort of people with HIV infection on long-acting antiretroviral therapy  | Elisa Gaggero, Genova        |
| 50                            | P 3   | Effectiveness and safety of tenofovir alafenamide/emtricitabine/bictegravir as first line regimen in people with HIV: a retrospective observational study     | Andrea Giacomelli, Milano    |
| 81                            | P 4   | Low level viremia at the beginning and in course of long-acting treatment with injectable cabotegravir and rilpivirine  | Lucia Taramasso, Genova      |
| 82                            | P 5   | Improved lipid profiles in adults living with HIV receiving doravirine-based regimens: week 52 analysis   | Neva Braccialarghe, Roma     |
| 94                            | P 6   | Feasibility of cabotegravir and rilpivirine long-acting injection specific program in a large center in Northern Italy: adherence, tolerability and costs     | Giorgio Tiecco, Brescia      |
| 101                           | P 7   | Outdated Antiretroviral Regimens (OLD-ART): A Cross-Sectional Study on the Achilles' Heel of Outpatient Care  | Maria Alberti, Brescia       |
| 102                           | P 8   | Experience with the use of prolonged-release injectable CAB/RPV in outpatients  | Emanuele Pontali, Genova     |
| 123                           | P 9   | Cost/effectiveness analysis and assessment of adverse events associated with the administration of the long-acting cabotegravir - rilpivirine association     | Davide Cicetti, Bologna      |
| 146                           | P 10  | Unconventional use of Long-Acting CAB+RPV against HIV in PWH in need: real-world data at 48 weeks from an Italian bicentric cohort                            | Valentina Iannone, Roma      |
| 153                           | P 11  | Central Nervous System and Neuropsychiatric adverse events in Women Living with HIV treated with INSTI-based regimens   | Andrea De Vito, Alghero      |
| 161                           | P 12  | Switching from 3TC/DTG and RPV/DTG to Triple Drug and Dual PI-Based therapies for toxicity/intolerance: data from the ICONA cohort                            | Andrea De Vito, Alghero      |
| 163                           | P 13  | Efficacy and safety of B/F/TAF in naïve people with HIV: real life data from the SHiNE and SHiC cohorts   | Giulia Moi, Sassari          |
| 209                           | P 14  | Antiretroviral therapy: consumption, costs and demographic profile of patients treated at a University Hospital in Italy in 2023                              | Lorenzo Martellone, Roma     |
| 211                           | P 15  | Real-life use of doravirine in ART-Experienced PLWH bearing drug resistance mutations: findings from a monocentric cohort study                               | Sergio Cotugno, Bari         |
| 227                           | P 16  | Long-term durability of dolutegravir + darunavir/cobicistat dual regimen in highly antiretroviral-experienced people living with HIV (DoDaco study)           | Diego Ripamonti, Bergamo     |
| 233                           | P 17  | Insights into patients perspectives: identifying barriers in the transition from oral to injectable antiretroviral treatment                                  | Mariacristina Polisenò, Bari |
| 257                           | P 18  | Therapeutic switch to long acting cabotegravir/rilpivirine to overcome malabsorption due to ulcerative colitis in a person living with HIV, a case report     | Federico Sabaini, Milano     |
| 263                           | P 19  | High lipid levels in patients living with HIV undergoing triple antiretroviral therapy  | Livia Moffa, Chieti          |
| 268                           | P 20  | A real-life study in HIV-infected patients on NNRTI-regimen undergoing therapeutic optimization   | Marcello Trizzino, Palermo   |
| 298                           | P 21  | Efficacy and safety of switching to co-formulated DOR/TDF/3TC in HIV-1-infected, ART experienced adults: data from a single Italian Center in Florence, Italy | Giuseppe Formica, Firenze    |
| 305                           | P 22  | Durability of doravirine/lamivudine/tenofovir disoproxil fumarate in a cohort of treatment-experienced people with HIV: a retrospective observational study   | Andrea Rabbione, Milano      |



RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

## Elenco Poster

| ID  | N.pgm | Title  | Presenting Author                  |
|-----|-------|--|------------------------------------|
| 306 | P 23  | Durability and effectiveness of dual versus triple INSTI-based antiretroviral therapy in a real-world cohort in Palermo  | Roberta Gaudiano, Palermo          |
| 311 | P 24  | Experienced PWH switching to 3TC/TDF/DOR in outpatient setting: real-life data on Lipid changes and ASCVD risk from an Italian multicenter cohort  | Valentina Iannone, Roma            |
| 315 | P 25  | Switching to long-acting cabotegravir/rilpivirine: data from an Italian monocentric cohort   | Maria Vittoria Cossu, Milano       |
| 319 | P 26  | Changing life perception in a heavy treated population living with HIV after long-acting regimen introduction  | Giovanna Picchi, Viterbo           |
| 320 | P 27  | Virological failures in newly discovered people living with HIV treated with TAF/FTC/BIC as first line regimen   | Francesco Lamanna, Roma            |
| 360 | P 28  | Treatment experienced PWH switching to 3TC/TDF/DOR: lipid profile changes over 144 Weeks of follow up in a single-center Italian cohort  | Valentina Iannone, Roma            |
| 363 | P 29  | Efficacy and tollerability of INI-based 2-drug regime in viro-suppressed patients: a sistematic review and a meta-analysis   | Maria Grazia Palamone, Napoli      |
| 365 | P 30  | Switch from Ibalizumab to Lenacapavir in a salvage therapy for a patient with multidrug-resistant HIV infection  | Salvatore Martini, Napoli          |
| 377 | P 31  | Optimisation of antiretroviral therapy through a spending review: a population-based approach  | Virginia Barchi, Roma              |
| 378 | P 32  | Efficacy and tolerability of long-acting Cabotegravir/Rilpivirine in real-world setting, 52 weeks results  | Francescopaolo Antonucci, Foggia   |
| 382 | P 33  | Long-Acting injectable regimen with Cabotegravir + Rilpivirine in people living with HIV: real-life experience from Modena HIV Clinic  | Alessandra Soffritti, Modena       |
| 385 | P 34  | Patient profile characteristics when choosing different Dolutegravir-based dual therapies: impact on long term efficacy and durability   | Enrico Morelli, Siena              |
| 396 | P 35  | Preliminary real world experience in a cohort of PLWH undergoing LA CAB/RPV in Latina: a heterogeneous population with homogeneous efficacy and satisfaction   | Anna Carraro, Roma                 |
| 397 | P 36  | Long-acting injectable antiretroviral therapy: pursuing equity of access through shared decision-making  | Elisabetta Teti, Roma              |
| 401 | P 37  | Feasibility of 3TC/DTG as a first-line strategy in the setting of rapid ART initiation: a retrospective study from the Pisan Cohort  | Tommaso Matucci, Pisa              |
| 409 | P 38  | Evaluation of resistance-associated mutations to nucleotide reverse transcriptase inhibitors in patients treated with tenofovir disoproxil/lamivudine/doravirine                                     | Damiano Farinacci, Roma            |
| 412 | P 39  | Two is a company: results from a multicenter cohort of PLWHIV starting dolutegravir plus lamivudine as first-line regimen  | Arturo Ciccullo, L'Aquila          |
| 421 | P 40  | The Long Acting Therapy with CAB/RPV: experience at the Infectious Diseases Clinic of Perugia  | Elisabetta Schiaroli, Perugia      |
| 426 | P 41  | Sexual quality of life and genital compartment inflammation in a cohort of patients undergoing long-acting cabotegravir/rilpivirine therapy  | Anna Carraro, Roma                 |
| 427 | P 42  | Fostemsavir plus doravirine for the treatment of heavily treatment-experienced (HTE) people with HIV (PWH) with multi-drug resistant (MDR) HIV-1 infection: 48 weeks results in a real-life setting  | Pierluigi Francesco Salvo, Roma    |
| 437 | P 43  | Incidence of transmitted drug resistance mutations among newly diagnosed HIV□1 patients: a 6-month retrospective analysis  | Michele Cantini, Bologna           |
| 450 | P 44  | Cost-effectiveness of cabotegravir-rilpivirine LA vs. lamivudine/abacavir/dolutegravir and vs. bictegravir/emtricitabine/tenofovir in the treatment of HIV+ patients in Italy, a short-term analysis | Francesco De Nardo, Castellanza VA |



RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

## Elenco Poster

| ID  | N.pgm | Title  | Presenting Author                   |
|---|-------|--|-------------------------------------|
| 476   | P 45  | Carotid Intima Media Thickness is increased in adolescent and young adults living with HIV   | Marta Stracuzzi, Milano             |
| 477   | P 46  | 20-year review of neurological outcomes in HIV-exposed uninfected children in a pediatric HIV referral center  | Marta Stracuzzi, Milano             |
| <b>Clinical HIV</b>                                 |       |  |                                     |
| 7   | P 47  | Heavily treatment-experienced (HTE) patients with multidrug-resistant HIV infection: population characteristics, treatment strategies, and clinical outcomes   | Maddalena Giglia, Bologna           |
| 31  | P 48  | Factors influencing sleep disorders in people with HIV in a real-life setting  | Francesca Alberton, Milano          |
| 45  | P 49  | An hospital-based integrated Healthy Life Program among PLWH: ongoing data from an outpatients clinic including Infectious Disease specialist, nutritionist, personal trainer and psychologist at "D. Cotugno" hospital, Naples, Italy | Maria Aurora Carleo, Napoli         |
| 55  | P 50  | Are new lipid lowering agents a good option for achieve lipid goal in HIV subjects?  | Raffaele Ferri, Chieti              |
| 59  | P 51  | 100% adherence to ART: a new paradigm in the long-acting era. Data from a cohort in Turin  | Gian Carlo Orofino, Torino          |
| 85  | P 52  | Asymptomatic neurocognitive impairment in People Living With HIV infection (PLWH): are we misdiagnosing for someone?   | Benedetto Maurizio Celesia, Catania |
| 121   | P 53  | Pregnancy and birth outcomes in women living with HIV: real-life experience  | Martina Mazzoccoli, Milano          |
| 135   | P 54  | Prevalence of sleep disturbance in PLWHA. Time to action   | Gian Carlo Orofino, Torino          |
| 136   | P 55  | Acute cardiac insufficiency in HIV: a jump into the past   | Beatrice Fontana, Firenze           |
| 148   | P 56  | Exploring effectiveness and tolerance: switching to long-acting cabotegravir plus rilpivirine therapy in virologically suppressed individuals with HIV   | Claudio Rigamonti, Bologna          |
| 171   | P 57  | Monitoring quality of life in PLWH using a patient reported outcomes (PRO) and screening tools for emotional and cognitive vulnerability   | Massimo Giuliani, Roma              |
| 296   | P 58  | Peroneal osteomyelitis by Mycobacterium haemophilum in a patient living with HIV   | Elena Ghidoni, Modena               |
| 297   | P 59  | Neutral Metabolic Impact of Long-Acting CAB+RPV in PLWH: A Tuscan Multicenter Observational Study (LAHIV)  | Filippo Lagi, Firenze               |
| 299   | P 60  | Efficacy, safety and discontinuation of rilpivirine and cabotegravir in HIV-1 virologically suppressed adults: a multicenter observational study in Tuscany (LAHIV study)  | Filippo Lagi, Firenze               |
| 328   | P 61  | Salmonella spondylodiscitis and iliopsoas abscesses in a patient with HIV  | Antonietta Boccia, Caserta          |
| 334   | P 62  | Viral blips in patients with Intestinal bowel syndrome (IBS): clinical case observation. Is dolutegravir plus lamivudine sufficiently protective against the risk of viral escape?   | Marco Di Gregorio, Brescia          |
| 379   | P 63  | Prospective Memory and antiretroviral medication adherence in HIV  | Valentina Massaroni, Roma           |
| 393   | P 64  | MULTicentric HIV patients tracer For clinicAl assistanCe and rEsearch: feasibility, preliminary data from the MULTIFACE study  | Federico Frondizi, Roma             |
| 435   | P 65  | Exploring potential interactions between intramuscular cabotegravir(CAB)/rilpivirine (RPV) and methadone: a case report  | Pierluigi Francesco Salvo, Roma     |
| 442   | P 66  | Patients' attitudes towards telehealth for HIV care: a single center survey  | Lolita Sasset, Padova               |
| <b>Cooperation projects in low income countries</b> |       |  |                                     |
| 41  | P 67  | Prevalence of water-borne diseases among people exposed to climate disasters in Mozambique: a cross-sectional study  | Francesco Di Gennaro, Bari          |
| <b>Epidemiology of viral infections</b>             |       |  |                                     |
| 22  | P 68  | Recent infections in new HIV diagnoses: results of the national surveillance system  | Lucia Pugliese, Roma                |



RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

## Elenco Poster

| ID  | N.pgm | Title   | Presenting Author                |
|---|-------|---|----------------------------------|
| 207                                       | P 69  | Applications of excess event estimation to investigate mortality and infection spread during the covid19 pandemic   | Luigi Palla, Roma                |
| 208                                       | P 70  | Back to the measles – first evidence of viral circulation in Liguria, Northern Italy, 2024  | Giada Garzillo, Genova           |
| 314                                       | P 71  | Short-term mortality in people with HIV infection over the past two decades   | Monica Melchio, Genova           |
| 391                                       | P 72  | HIV screening and treatment in two penitentiaries in Northern Italy: a retrospective analysis   | Anna Cambianica, Brescia         |
| 395                                       | P 73  | Clinical and Epidemiological Insights in Severe Influenza patients admitted to emergency department with respiratory symptoms in the fourth year of SARS-CoV-2 pandemic               | Alberico Parente, Latina         |
| 428                                       | P 74  | The changing landscape of hospitalized PLWH: how the referral of cases in a center Italy ward changed during the SARS-CoV-2 pandemic  | Francesco Pallotta, Macerata     |
| <b>HIV coinfections and comorbidities</b> |       |   |                                  |
| 80  | P 75  | Weight gain and lipid change according to baseline comorbidities and previous antiretroviral regimen in cohort of people treated with bictegravir/emtricitabine/tenofovir alafenamide | Lucia Taramasso, Genova          |
| 93  | P 76  | Multidimensional characterization of erectile dysfunction in young man living with HIV: a cross-sectional study   | Giorgio Tiecco, Brescia          |
| 106                                       | P 77  | The influence of blood brain barrier permeability on serum-to-CSF ratios of central nervous system biomarkers in people with HIV  | Jessica Cusato, Torino           |
| 125                                       | P 78  | Nutrition support service focused on weight loss in an HIV outpatient clinic: our experience  | Paola Vitiello, Busto Arsizio VA |
| 139                                       | P 79  | High-risk HPV genotypes are associated with anal cytologic abnormalities but not with malignant histological lesions in a cohort of people with HIV (PWH)                             | Nicola Squillace, Monza          |
| 144                                       | P 80  | Challenging the Bounds of Co-Infection: A Case Study on Severe Monkeypox in an Untreated HIV Patient and the Role of Tecovirimat in Treatment Efficacy                                | Tosca Semenzin, Udine            |
| 150                                       | P 81  | Risk factors associated with NAFLD in people living with HIV  | Valeria Brogna, Monza            |
| 173                                       | P 82  | Correlation between lipid profile, subclinical atherosclerosis, hepatic fibrosteatosis, and bone mineral density in PLWH: comparison between TAF/FTC/BIC and TDF/3TC/DOR              | Valentina Iodice, Caserta        |
| 217                                       | P 83  | Incidence of lung-cancer in a cohort of PWH: a retrospective single-center observational study  | Giorgia Carrozzo, Milano         |
| 224                                       | P 84  | Prevalence, characteristics and outcomes of TB-IRIS among a cohort of PWH and TB  | Lorenzo Crupi, Genova            |
| 229                                       | P 85  | Correlation among bone, endothelial and hepatic damage in PLWH  | Addolorata Masiello, Caserta     |
| 237                                       | P 86  | Extrapulmonary TB diagnosed during cabotegravir/rilpivirine long acting therapy: a novel pharmacologic challenge  | Giovanna Picchi, Viterbo         |
| 286                                       | P 87  | Bulevirtide: Treatment in people living with HIV  | Layla Pagnucco, Pavia            |
| 310                                       | P 88  | Influence of AIDS-defining events on PLWH hospitalization: implications for DRGs and length of stay. A retrospective administrative data analysis                                     | Gabriele Cavazza, Milano         |
| 312                                       | P 89  | Prevalence of metabolic syndrome among PLWH assuming NVP containing regimens and INSTI based dual therapy   | Federico Conti, Lecco            |
| 333                                       | P 90  | Plasma markers of gastrointestinal mucosal barrier dysfunction in PLWH receiving cART   | Valentina Artusa, Milano         |
| 344                                       | P 91  | Characterization of bacterial infections in people living with HIV from January 2018 to January 2023  | Chiara Nonne, Roma               |





RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

## Elenco Poster

| ID  | N.pgm | Title  | Presenting Author                          |
|---|-------|--|--|
| 369   | P 92  | Severe Neurological Manifestations and Medication Challenges in an Elderly Female Cancer Patient: a missed opportunity   | Livia Bresciani, Milano                    |
| 375   | P 93  | Experience of collaboration between a PLWH Clinic and a clinical nutrition centre at a hospital in the north-east of Italy   | Giuliana Battagin, Vicenza                 |
| 387   | P 94  | NK cell profile in the anal mucosa of MSM living with HIV: results from a single center clinical trial   | Letizia Santinelli, Roma                   |
| 392   | P 95  | Prevalence and correlates of Hepatic Steatosis and Metabolic-associated Fatty Liver Disease in a cohort of People Living With HIV  | Francesca Panza, Siena                     |
| 402   | P 96  | CNS-associated VZV vasculopathy in a young woman living with HIV   | Virginia Maria Vitaletti, Milano           |
| 414   | P 97  | Exploring cardiovascular risk in people with HIV: the critical role of intima-media thickness  | Michele Salvatore Paternò Raddusa, Catania |
| 455   | P 98  | Periaortic BCGite in HIV   | Lorenzo Abbate, Bologna                    |
| 456   | P 99  | Poor sleep quality in people living with HIV   | Layla Pagnucco, Pavia                      |
| 479   | P 100 | Epicardial adipose tissue is increased in HIV infected adolescent and young adults   | Marta Stracuzzi, Milano                    |
| <b>Immunopathogenesis</b>                             |       |  |  |
| 104   | P 101 | Auto-antibodies neutralizing type I and III IFNs in patients with WNV infection  | Federica Frasca, Roma                      |
| 279   | P 102 | HIV acquisition at birth does not drive T-cell dysfunction in Heavily Treatment Experienced (HTE): data from the Prestigio Registry  | Valeria Bono, Milano                       |
| 291   | P 103 | Multidrug resistance is associated with different gene methylation in people with HIV: a matched cohort study with data from the PRESTIGIO Registry  | Tommaso Clemente, Milano                   |
| 374   | P 104 | HIV latency is associated with changes in the Wnt1, $\beta$ -catenin, TGF- $\beta$ and BCL-2 signalling pathways   | Luca Maddaloni, Roma                       |
| 399   | P 105 | Is CAB/RPV-LA able to modulate residual immune activation in people living with HIV? A pilot single-arm longitudinal study   | Maria Antonella Zingaropoli, Roma          |
| 415   | P 106 | Higher IP-10 values correlate with a viral cause of infection: a retrospective study based on novel tests  | Blerta Kertusha, Latina                    |
| <b>Other infections in the immunocompromised host</b> |       |  |  |
| 119   | P 107 | Cytomegalovirus specific T-cell response in people with multiple sclerosis under different disease-modifying therapies   | Federica Dominelli, Roma                   |
| 349   | P 108 | Aspergillus spp infection in immunocompromised and non-neutropenic patients in Infection Intensive Care: a retrospective observational study   | Dorotea Rubino, Roma                       |
| 372   | P 109 | Multidrug resistant bacteria (MDRB) and bed turnover: is it true that the fragile patient should be moved the least possible?  | Chiara Fanelli, Sassari                    |
| 400   | P 110 | Evaluation of HHV6 reactivation in gastric biopsy and blood samples in patients underwent allogeneic stem cell transplant (HSCT) for hematological malignancies: results from a retrospective single center analysis | Giuseppina Colomba, Palermo                |
| 452   | P 111 | Challenges in an Immunocompromised Host: A Case of Disseminated Nocardiosis  | Andrea Gizzi, Palermo                      |
| <b>SARS-CoV-2 infection and long COVID</b>            |       |  |  |
| 38  | P 112 | SARS-CoV-2 natural infection, but not vaccine-induced immunity, elicits cross-reactive immunity to OC43  | Micaela Garziano, Milano                   |
| 47  | P 113 | Use of combination therapy with remdesivir, nirmatrelvir/ritonavir and sotrovimab in an immunocompromised patient with persistent severe SARS-CoV-2 acute respiratory syndrome                                       | Gisella D'Aguanno, Marsala TP              |

RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

**Elenco Poster**

| ID  | N.pgm | Title  | Presenting Author                    |
|---|-------|--|--------------------------------------|
| 53  | P 114 | Exploring Early COVID-19 Therapies, Variants, and Viral Clearance Dynamics: Insights from a High-Risk Outpatients Study  | Maddalena Matone, Milano             |
| 186   | P 115 | Characteristics of Long COVID after two years of follow-up in a previously hospitalized population   | Viola Cogliandro, Monza              |
| 248   | P 116 | The evolving landscape of COVID-19: Characteristics and factors associated with disease severity and mortality in recent hospitalisations  | Drieda Zace, Roma                    |
| 266   | P 117 | Prolonged combination treatment: an efficient and safe strategy for managing SARS-CoV-2 infection in immunocompromised patients  | Chiara Sepulcri, Genova              |
| 406   | P 118 | Cytomegalovirus reactivation in non-severe COVID-19: two emblematic cases of oropharyngeal mucositis in immunocompromised patients   | Roberta Astorri, Napoli              |
| 407   | P 119 | Combination therapy in immunocompromised patients with COVID-19  | Francesco Rosario Paolo Ieva, Foggia |
| 480   | P 120 | Sex disparity in COVID infection: a retrospective study using serum electrophoretic analysis (SPE) in men and women infected by COVID-19   | Flaminia Tomassetti, Roma            |
| <b>Sexually transmitted infections</b>  |       |  |                                      |
| 24  | P 121 | Anorectal lesions: think twice   | Viola Gennaro, Torino                |
| 77  | P 122 | The use of pre-exposure prophylaxis (PrEP) in the control of HIV infection and other sexually transmitted diseases (STDs). Descriptive-observational analysis in an Italian polyclinic | Davide Cicetti, Bologna              |
| 86  | P 123 | Screening of sexually transmitted diseases: experience from Galliera hospital in Genoa   | Roberta Prinapori, Genova            |
| 92  | P 124 | A case of secondary syphilis with pulmonary involvement in a person living with HIV  | Federica Guida Marascia, Palermo     |
| 204   | P 125 | Long distances for STI care. The case of the an ambulatory service in Bari   | Luigi Ronga, Bari                    |
| 241   | P 126 | Meeting on HIV and sexually transmitted infections in a high school in Palermo, Italy  | Luca Pipitò, Palermo                 |
| 285   | P 127 | Sexual behaviour and age related incidence of sexually transmitted infections in PrEP's users  | Francesco Romano, Roma               |
| 288   | P 128 | Prevalence of sexually transmitted infections in cisgender women coming to walk-in Center  | Gaia Catalano, Milano                |
| 300   | P 129 | Molecular assay-based extragenital screening for Chlamydia trachomatis and Neisseria gonorrhoeae in men who have sex with men  | Rebecca Jo Steiner, Roma             |
| 329   | P 130 | M. genitalium macrolide and fluoroquinolone resistance in Ce.Mu.S.S. Cohort: a descriptive monocentric report  | Marco Tutone, Torino                 |
| 357   | P 131 | Emerging Sexually Transmitted Infections Outbreak: Dermatophytosis among Men who Have Sex with Men in Milan, Italy   | Chiara Maci, Milano                  |
| 425   | P 132 | Implementing anal cancer screening in gay and bisexual men who have sex with men starting from a community-based setting   | Eugenio Nelson Cavallari, Roma       |
| 460   | P 133 | Syphilis among PLWH: prevalence of the infection in relation to COVID-19 outbreak  | Roberta Campagna, Roma               |
| 465   | P 134 | This goes out to the underdog: how not to neglect sexually transmitted infections  | Alessandro Tili, Modena              |
| 474   | P 135 | A case of syphilitic vitritis with complicated course  | Federica Ceriegi, Pisa               |
| <b>Social and behavioural science, marginalized groups, community aspects and community surveys</b> |       |  |                                      |
| 4   | P 136 | Long Acting Therapy: what PLWHIV think about it  | Sandro Mattioli, Bologna             |
| 14  | P 137 | Stigma and disinformation are still common in population approaching the Anlaids Forum   | Alberto Venturelli, Piacenza         |

RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

**Elenco Poster**

| ID  | N.pgm | Title  | Presenting Author                     |
|-----|-------|--|---------------------------------------|
| 16  | P 138 | Cosa sai di Hiv e altre IST  | Bruno Marchini, Lodi                  |
| 18  | P 139 | Home delivery of ARV and HIV self-tests  | Mario Cascio, Milano                  |
| 23  | P 140 | Promoting Sexual Health Equity: A Community Engagement Model for Minor Ethnic Groups in Italy  | Ifeoma Nneka Emelurumonye, Reading UK |
| 30  | P 141 | HIV prevention road map  | Brunella Mocci, Cagliari              |
| 46  | P 142 | Ongoing psycho-social interventions: preliminary data of the "FRAGIL/mente" project  | Angela Calluso, Bari                  |
| 48  | P 143 | Stigma and HIV. Perceptions in young people from Anlaidis School   | Rosario Galipò, Roma                  |
| 56  | P 144 | Adherence to HIV infection care at IRCCS San Raffaele Hospital: current status and Re-stART project  | Diana Canetti, Milano                 |
| 60  | P 145 | Knowledge about Sexually Transmitted Infections and HIV awareness in an Italian adolescent and young adults group  | Sara Tordi, Perugia                   |
| 67  | P 146 | "What we wanted was what we needed" - rebuilding a community of memories and inclusive advocacy for emerging hepatitis C research via a community-led multilingual documentary production                      | Rocco Pignata, Bruxelles BE           |
| 70  | P 147 | HIV Tutor Care service at "D. Cotugno" hospital in Naples: a cooperative model between Public Institutions and Community Associations for the improving of well-being among Persons With HIV                   | Carlo Oneto, Napoli                   |
| 71  | P 148 | School intervention for STIs prevention  | Chiara Soligo, Milano                 |
| 74  | P 149 | Impact of social determinants of health on adherence rate to antiretroviral therapy in the clinical setting  | Greta Maffeis, Torino                 |
| 91  | P 150 | Noi, donne   | Daria Russo, Milano                   |
| 98  | P 151 | Assessment of comprehensive sexuality education: a framework of indicators to evaluate interventions in Italian secondary schools  | Domenico Martinelli, Foggia           |
| 100 | P 152 | Understanding and managing new HIV diagnoses in members of "generation Z" (1996 -2010) in Milan, Italy: project GenZ HIV-support   | Giorgio Bozzi, Milano                 |
| 122 | P 153 | PEP/PrEP for Bacterial STIs and HIV-PrEP: knowledge and use among MSM in Rome  | Alessandra Latini, Roma               |
| 129 | P 154 | Proactive testing for sexually transmitted and endemic diseases at an open access clinic for migrants  | Riccardo Ligresti, Milano             |
| 151 | P 155 | An alliance in communication: LILA training for journalists  | Giacomo Dessi, Como                   |
| 174 | P 156 | Chemsex, sexualized drug use and emotional vulnerability among MSM of a pilot survey of an STI/HIV center  | Stella Capodiecì, Roma                |
| 178 | P 157 | Go-come back-cure for HCV management: the role of the continuous presence of the infectious disease (ID) specialist at public health services dedicated to the assistance of addicted subjects (SerD) in Italy | Elena Rastrelli, Viterbo              |
| 214 | P 158 | HIV prevention in the high schools of Sardinia: the experience of LILA Cagliari  | Giacomo Dessi, Como                   |
| 238 | P 159 | Access to healthcare by Transgender and Gender Non-conforming individuals: preliminary evidence from a cross-sectional study   | Federico Fama, Milano                 |
| 250 | P 160 | ReTe AIDS: shared telephone counselling strategies to meet people's information needs on STIs  | Anna Colucci, Roma                    |
| 261 | P 161 | Specialized clinic experience at the Multidisciplinary Center for Sexual Health (Ce.Mu.S. S) in Turin for managing female genital mutilation victims: an integrated approach                                   | Anita Fortunato, Torino               |
| 295 | P 162 | Bridging gaps in HIV screening for marginalized communities: insights from a community-based center in Genoa, Italy  | Gloria Notore, Genova                 |



RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

## Elenco Poster

| ID   | N.pgm | Title  | Presenting Author                     |
|--|-------|--|---------------------------------------|
| 301  | P 163 | Problematic chemsex: a multidisciplinary approach  | Giorgia Fracca, Milano                |
| 309  | P 164 | Italian parents and teachers' attitudes and perceptions of a comprehensive sexuality education activity in secondary schools: the EduForIST national project             | Alice Chinelli, Pisa                  |
| 330  | P 165 | Association between emotional reactivity and Internalized Stigma among People Living with HIV  | Valentina Massaroni, Roma             |
| 361  | P 166 | The health and care needs of women living with HIV today: a cross-sectional analysis   | Chiara Picarelli, Roma                |
| 389  | P 167 | The use of Lorenz Curves and Gini index for the evaluation of HIV viral load distribution in the community   | Stefania Arsuffi, Brescia             |
| 422  | P 168 | Mono symptomatic therapeutical group for chemsex addiction to MDPV   | Giorgia Fracca, Milano                |
| 431  | P 169 | How relevant is working with key populations?  | Davide Meli, Chiuduno BG              |
| 436  | P 170 | Sleep disorders in People Living with HIV in integrase-inhibitors based regimen  | Damiano Farinacci, Roma               |
| 443  | P 171 | Impact of the Italian campaign "U=U: impossibile sbagliare" on people with HIV housed in CICA's network accommodation  | Laura Amelia Rachele Rancilio, Milano |
| 453  | P 172 | Better questions, deeper conversation. Blood donation among the LGBTQIA+ community: a gender-neutral survey  | Isabella Banchini, Bologna            |
| <b>Testing, prevention and PrEP: clinical perspectives and community best practice</b> |       |  |                                       |
| 15   | P 173 | Appropriateness and strategic value of Post-Exposure Prophylaxis (PEP) for HIV today: experience from an Infectious Diseases referral centre, March-December 2023, Italy | Francesco Maria Fusco, Napoli         |
| 52   | P 174 | Two years analysis of COBATEST data in Ancona Checkpoint and our experience of "tele visita PrEP"  | Sara Caucci, Ancona                   |
| 87   | P 175 | "TelePrEP" – A pilot program for the delivery of remote PrEP services  | Sabrina Penon, Milano                 |
| 88   | P 176 | Testing for HIV in CBVCT services adhering to the COBATEST Network - 2020-2023   | Maria Luisa Cosmaro, Milano           |
| 183  | P 177 | Sexual assault is associated to loss to follow-up for non-occupational Post-Exposure Prophylaxis for HIV   | Arianna Liparoti, Milano              |
| 252  | P 178 | Evaluating tolerance and safety profiles of Pre-Exposure Prophylaxis (PrEP) for HIV: insights from renal and hepatic function monitoring                                 | Gianluca Cuomo, Modena                |
| 272  | P 179 | Renal toxicity in a cohort of PrEP users   | Laura Labate, Genova                  |
| 338  | P 180 | Outreach programme in sex-on-premises venues: facilitating linkage to care and prevention services   | Paolo Marco Testoni, Milano           |
| 341  | P 181 | Alteration of transaminases in PrEP users: investigation of possible causal factors other than FTC/TDF   | Chiara Fusetti, Milano                |
| 350  | P 182 | UniversiTest: peer to peer approaching. Informing and Testing  | Mariangela Niglio, Foggia             |
| 358  | P 183 | Two and a half years of In- and Out-Hospital counselling and testing activities: two different and comprehensive preventive strategies                                   | Giulia Mancarella, Latina             |
| 390  | P 184 | HIV drug resistance test harbouring the RT M184V mutation in a PrEP (Pre Exposure Prophylaxis) administered sex worker   | Valeria Micheli, Milano               |
| 424  | P 185 | Implementation of a provincial PrEP clinic: analysis by public refundability and new HIV infection diagnoses in Latina   | Anna Carraro, Roma                    |
| 433  | P 186 | Differentiated and simplified PrEP delivery in Italy: alignment with WHO guidance is needed  | Pietro Leone Giovanni Vinti, Milano   |
| 449  | P 187 | Evaluation of injectable long acting cabotegravir as response to oral PrEP-related medical issues  | Roberto Rossotti, Milano              |





RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

## Elenco Poster

| ID                     | N.pgm | Title   | Presenting Author                |
|------------------------|-------|---|----------------------------------|
| 471                    | P 188 | Sexual habits and STDs occurrence in people attending a new PrEP clinic in Brescia  | Davide Minisci, Brescia          |
| <b>Vaccines</b>        |       |   |                                  |
| 58                     | P 189 | Strategies based on nudging to reduce vaccine hesitancy in PLWHA in a northern Italy center   | Gian Carlo Orofino, Torino       |
| 79                     | P 190 | Vaccine uptake pre and post COVID-19 pandemic among PLWH  | Elisa Suardi, Milano             |
| 99                     | P 191 | A systematic and evidence-based approach in vaccination of people living with HIV: the Notebook of Clinical Vaccinology   | Piera Amoriello Lamberti, Roma   |
| 105                    | P 192 | Antibody and Interferon response in HIV patients following mRNA-based SARS-CoV-2 vaccine  | Alessandra D'Auria, Roma         |
| 107                    | P 193 | Evaluation of functional antibodies against HIV Env and Tat proteins: analysis of antibody-dependent cell-mediated cytotoxicity (ADCC)  | Mara Martino, Ferrara            |
| 118                    | P 194 | Correlation between immune response and adverse events in MS patients after Shingrix vaccine administration   | Ilenia Fato, Roma                |
| 138                    | P 195 | Evaluation of cell-mediated Immunity to HPV nonavalent vaccine (Gardasil9®) in a cohort of people living with HIV   | Lorenzo Ansaldo, Latina          |
| 142                    | P 196 | PrEP access highlights worrisome gap in vaccination coverage against HPV and other vaccine preventable STIs   | Rebecca Fattore, Milano          |
| 198                    | P 197 | Lactoferrin assumption in vaccinated subjects infected by Sars-CoV-2 may influence time length of negativization  | Gaetana Costanza, Roma           |
| 221                    | P 198 | Analysis of Spike-specific immunity induced by IDLV-Spike in mice: comparison between females and males   | Alessandra Gallinaro, Roma       |
| 281                    | P 199 | Neutralizing antibodies titers against ten viral Spike protein variants of SARS-CoV-2 in the serum of patients receiving dialysis before and 30 days after the XBB1.5 updated mRNA vaccination                | Giuseppe Lipari, Milano          |
| 282                    | P 200 | Neutralizing antibody response to the highly divergent BA.2.86 SARS-CoV-2 lineages in vaccinated health care workers with or without subsequent infection   | Ilenia Varasi, Siena             |
| 290                    | P 201 | Hepatitis A virus protection status in cis males and transgender females who live with HIV and have sex with men: a retrospective observational study   | Serena Reato, Milano             |
| 331                    | P 202 | Beyond the barriers: the impact of HPV vaccination program variation among MSM PLWH   | Miriam Inverardi, Brescia        |
| 373                    | P 203 | Varicella Zoster Virus Vaccination in immunocompromised patients with haematological and rheumatological diseases: specific T-cell response measured with an in-house Interferon Gamma Release Assay          | Luigi Coppola, Roma              |
| 417                    | P 204 | Behavioral and epidemiological survey on compliance to receive new booster doses of anti-SARS-Cov2 vaccine in PLWH  | Giulia Del Duca, Roma            |
| 440                    | P 205 | Specific T-cell responses to Varicella Zoster Virus glycoprotein E one year after vaccination with a recombinant adjuvanted subunit vaccine in people with multiple sclerosis on disease modifying treatments | Marco Iannetta, Roma             |
| <b>Viral hepatitis</b> |       |   |                                  |
| 131                    | P 206 | Risk of HBV reactivation and loss of anti-HBc in anti-CD20 treated multiple sclerosis patients: a six-year observational cohort study   | Yann Collins Fosso Ngangue, Roma |
| 175                    | P 207 | Bulevirtide for the treatment of hepatitis D: a case series   | Francesco Caruso, Milano         |
| 230                    | P 208 | HBs isoforms as innovative biomarkers in predicting virological response in chronic hepatitis delta patients treated with bulevirtide monotherapy   | Stefano D'Anna, Roma             |



RESEARCH and CARE: FROM BENCH, TO BEDSIDE, TO COMMUNITY

## Elenco Poster

| ID                               | N.pgm | Title   | Presenting Author                   |
|----------------------------------|-------|---|-------------------------------------|
| 236                              | P 209 | First case of hepatitis B virus (HBV) reactivation in a patient with breast cancer receiving CDK4/6 inhibitor drugs                                 | Francesco Capriotti, Parma          |
| 253                              | P 210 | Bulevirtide effectiveness and safety in cirrhotic and non cirrhotic patients in Sardinia  | Anna Antonella Mariani ,<br>Sassari |
| 337                              | P 211 | Hepatitis delta testing in adults with chronic hepatitis B virus infection attending for outpatient care: Who are those unscreened?                 | Andrea Di Lorenzo, Roma             |
| 403                              | P 212 | Dengue associated hepatitis: two case reports and literature review   | Blerta Kertusha, Latina             |
| 458                              | P 213 | HBV reactivation after immunosuppressive therapy: an open question  | Michelle Abbott, Palermo            |
| 478                              | P 214 | Natural history and management Pediatric HCV: 25 years experience of North Italian center   | Francesca Musto, Milano             |
| <b>Virology and pharmacology</b> |       |   |                                     |
| 89                               | P 215 | Optimization of HIV-1 Next Generation Sequencing genotyping drug resistance testing methods from both RNA and DNA on Ion GeneStudio S5 prime System | Lavinia Fabeni, Roma                |
| 97                               | P 216 | Evaluation of broad-spectrum piperazine-based compounds able to inhibit flavivirus and/or SARS-CoV-2 replication in a live virus assay              | Camilla Biba, Siena                 |
| 103                              | P 217 | Idiosyncratic drug liver injury during long-acting HIV treatment: A Case Report   | Lorenzo Brando Lundgren,<br>Milano  |
| 112                              | P 218 | Comparative evaluation of 5 RT-PCR kits for Dengue virus detection  | Chiara Fracalvieri, Genova          |
| 115                              | P 219 | Success rate of HIV DNA Sanger sequencing in PBMC and whole blood samples   | Tiziano Giacomo Alice, Torino       |
| 172                              | P 220 | Effects of DTG in cardiovascular system development in a model of zebrafish embryo  | Cosimo Colangelo, Brescia           |
| 200                              | P 221 | HIV-DNA quantification as prediction of GRT success in HIV-DNA NGS  | Federica Stefanelli, Genova         |
| 256                              | P 222 | Erdosteine inhibits viral infection and modulates innate immunity and stress oxidative state in RSV-infected A549 cells                             | Sergio Strizzi, Milano              |
| 404                              | P 223 | Comparison of Sanger sequencing and amplicon-based NGS approaches for the detection of HIV-1 drug resistance mutations                              | Lia Fiaschi, Siena                  |
| 438                              | P 224 | Depth coverage and HIV-1 variability negatively affect the performance of the "HIV-1 solution v2" NGS sequencing kit for drug resistance monitoring | Francesco Saladini, Siena           |
| 462                              | P 225 | Case report on the effect of antiretroviral treatment on a young man with uncertain HIV diagnosis, immune dysfunction and high expression of HERVs  | Claudia Matteucci, Roma             |